

**Building Code Requirements and Specification for Masonry Structures
TMS 402-16, TMS 602-16 and Companion Commentaries**

**Errata
October 31, 2018**

| Page | Section, Article, Eq. or Fig. No. | Errata |
|-------------|--|---|
| C-61 | Figure CC-5.5-1 | In the upper right, change the Limitation on Corbelling for P_c to one-half of nominal <u>wall</u> thickness |
| C-79 | Figure CC-6.3-3 | Change Equation 6-1 to 6-5 |
| C-102 | Equation 8-2 | Change 0.65 to 0.6 |
| C-103 | Equation 8-6 | Change B_{av} to B_{vb} |
| C-105 | Equation 8-14 | Sqare the $(70r/h)$ term in parenthesis so the equation reads: $F_a = (1/4)f'_m \left(\frac{70r}{h} \right)^2$ |
| C-127 | 9.1.7.2(c) | Change 1.3 to 2.6 |
| C-141 | Commentary 9.3.5.2 | Delete subscript “g” at the end of the first equation for M_n so that it appears correctly as $M_n = (P_u / \phi + A_s f_y) \left(\frac{t_{sp} - a}{2} \right) + A_s f_y \left(d - \frac{t_{sp}}{2} \right)$ |
| C-142 | Commentary 9.3.5.4.3 | Change Section 3.3.5.4.2 to Section 9.3.5.4.2. |
| C-145 | Eq. 9-34 | Delete one instance of the equation as it is repeated |
| C-157 | Commentary 10.4.3.6 | Change 9.3.3.5 to 9.3.3.2 in two locations |
| C-168 | 11.3.2(e) | Change :11.3.3.5 to 11.3.3.2 |
| C-173 | 11.3.5.2 | Change :11.3.3.5 to 11.3.3.2 |
| C-176 | 11.3.6.2(b) | Change :11.3.3.5 to 11.3.3.2 |
| C-176 | 11.3.6.6 | Change :11.3.3.5 to 11.3.3.2 |
| C-182 | 12.2.1(d) | Change “Section 12.2.2.9 and Section 12.2.2.10” to “Section 12.2.2.10 and Section 12.2.2.11” |
| C-182 | 12.2.2.1 | Change “12.2.2.11” to “12.2.2.12”. |
| C-188 | Commentary 12.2.2.10 | Change the reference to Section 12.2.2.9 to Section 12.2.2.10. |
| C-229 | C and Commentary | Change 9.3.3.5 to 9.3.3.2 in Code Section C and in Code Commentary Section C. |
| C-232 | Reference to 8.1.7.4.1.5(b) | Change 8.1.7.4.1.5(b)to 6.1.9.1.5(b) |
| S-iii | Title | Change TMS 602-13/ACI 530-13/ASCE 6-13 to TMS 602-16 |
| S-13 | 1.3 | Editorially move ASTM C1670 to item BM to be in consecutive order, and then make existing BM a new BN, BN a new BO, and BO a new BP |
| S-37 | 2.1 C | Add a period after C1660. |
| S-79 | Figure SC-20 | Update the reference to Table 7 to Table 6 |
| | | |
| | | |

Watch <https://masonrysociety.org/2016-tms-402602-errata/> for possible additional errata.